

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	243	(712/241).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:43
L2	343	(712/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:43
L3	170	(712/235).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:43
L4	8005	(annul or null\$5 or void\$3 or cancel\$3) near4 (cod\$3 or bit\$1 or segment\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:46
L5	2	(annul or null\$5 or void\$3 or cancel\$3) near4 (cod\$3 or bit\$1 or segment\$1) near4 (load\$3 or retriev\$3 or get\$4) near4 (memory or storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:47
L6	10	((annul or null\$5 or void\$3 or cancel\$3) near4 (cod\$3 or bit\$1 or segment\$1)) with ((load\$3 or retriev\$3 or get\$4) near4 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:48
L7	50	((annul or null\$5 or void\$3 or cancel\$3) near4 (cod\$3 or bit\$1 or segment\$1)) same ((load\$3 or retriev\$3 or get\$4) near4 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/31 15:52
S1	1	(annul adj1 code) near4 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 10:13
S2	0	"1117032".URPN.	USPAT	OR	OFF	2003/09/05 14:43
S3	0	(invalid adj1 flag) near4 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:46
S4	2	(valid\$3 adj1 flag\$1) near4 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:46

S5	0	(stop adj1 flag\$1) near4 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:45
S6	1	(annul adj1 code) same pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:46
S7	3	(invalid adj1 flag\$1) same pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:46
S8	42	(valid\$3 adj1 flag\$1) same pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:59
S9	1	annul adj1 code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 14:58
S10	4	((valid\$3 adj1 flag\$1) same pipeline) and (execution adj1 units)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 15:11
S11	12	((valid\$3 adj1 flag\$1) near4 instruction\$1) and (execution adj1 units)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/05 15:12
S12	0	(branch near4 predica\$4) same (multiple adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/07 10:54
S13	15	(branch near4 predica\$4) and (multiple adj1 execution adj1 units)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/07 10:59
S14	0	(multiple adj1 execution adj1 units) same (multiply and ALU and shift)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/07 10:59
S15	1	(multiple adj1 execution adj1 units) same (multiply and shift)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/07 11:00
S16	47	(multiple adj1 execution adj1 units) and (multiply and shift and load and ALU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/07 11:00

S17	2	((("4566062") or ("5958048")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/08 08:05
S18	202	((712/241)".ccls") and @pd > = "20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/09 12:39
S19	202	((712/241)".ccls") and @pd>="20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/09 12:39
S20	316	((712/241)".ccls") and @pd>="2000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/09 12:39
S21	202	((712/241)".ccls") and @pd>="20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/09 12:40
S22	0	(annul adj1 bit) near4 (annul adj1 code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/09 14:21
S23	0	(null adj1 bit\$1) near4 pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 10:15
S24	6	(\$1null\$3 near41 bit\$1) near4 pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 10:28
S25	2	(\$1null\$3 near4 bit\$1) near4 pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 10:34
S26	12	(\$1null\$3 near4 bit\$1) same pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 10:36
S27	2	(US-4566062-\$ or US-5958048-\$). did.	USPAT	OR	OFF	2004/02/10 10:38
S28	3	((cancel or abort) near4 bit\$1) near4 pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 11:07

S29	59	(null\$3) near4 pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 11:07
S30	7	branch near4 (null\$3 near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 13:29
S31	5	branch near4 ((cancell or abort) near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 11:31
S32	32	branch same (null\$3 near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 11:32
S33	0	branch near4 (void near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 13:21
S34	7	branch near4 (void near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 13:22
S35	7	branch same (void near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 13:22
S36	182	branch near4 (valid\$3 near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 15:56
S37	127	branch near4 (valid\$3 adj1 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 13:30
S38	56	branch near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 16:06
S39	280	(712/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 14:04
S40	3	(branch near4 (bypass or fall?through)) near4 \$2valid\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 10:50

S41	3	(branch near4 (bypass or fall?through)) same (\$2valid\$3 adj1 (bit\$1 or cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 10:58
S42	2	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3) adj1 (bit\$1 or cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 10:59
S43	9	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 10:59
S44	141	(712/235).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 11:00
S45	967	(\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 14:36
S46	48	(((\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1) near4 (branch\$3 or predicat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 14:36
S47	2	predicate near4 (valid\$3 near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 15:58
S48	6	predicate same (valid\$3 near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 15:58
S49	2	predicate near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/11 16:14
S50	199	(data adj1 register\$1) near4 (hal\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:11
S51	213	(data adj1 register\$1) near4 (hal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:11
S52	56	(data adj1 register\$1) near4 ((first and second) near4 hal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:16

S53	11	(data adj1 register\$1) near4 (one?hal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:17
S54	535	(register\$1) near4 (one?hal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:17
S55	5	(register\$1) near4 ((first) adj1 one?hal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:18
S56	5	((first) adj1 one?hal\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:19
S57	191	(one?hal\$3) adj4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:20
S58	158	(one?half) adj4 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:20
S59	25	(one?half) adj1 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:22
S60	22	(half) adj1 (data adj1 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:26
S61	1	(top adj1 half) near4 (data adj1 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:27
S62	1	(top near4 half) near4 (data adj1 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:27
S63	78	(top near4 half) near4 (register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:28
S64	75	load near4 (half near4 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:28

S65	9	load near4 (half adj1 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:34
S66	0	(high near4 low) near4 (data adj1 register adj1 half)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:35
S67	0	(high near4 low) near4 (data adj1 register near2 half)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:35
S68	2	(high or low) near4 (data adj1 register near2 half)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:35
S69	519	(annul or cancel or null or nullification or abort) adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:41
S70	0	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 (successive adj1 instructions)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:40
S71	1	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 ((successive or following) adj1 instructions)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:40
S72	507	(annul or cancel or null or abort) adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 10:41
S73	2	(annul) adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 11:17
S74	305	skip adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 11:18
S75	0	(skip adj1 instruction\$1) near4 (N adj1 instructions)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 11:19
S76	24	(skip adj1 instruction\$1) near4 following	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/19 11:19

S77	4	((("5493669") or ("5748935") or ("5784603") or ("5809324"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/02/20 10:12
S78	219	(712/241).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 11:09
S79	27	(speculative) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 12:07
S80	2	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 12:08
S81	5	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 12:20
S82	41	(speculative or predicate) same ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 12:24

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.2

 Welcome
 United States Patent and Trademark Office

IEEE Xplore®
 1 Million Documents
 1 Million Users

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
[» Advanced Search](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**
[Help](#)

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

- 3) Limit the results by selecting Search Options.

- 4) Click Search. See [Search Examples](#)

```
anull <or> void <or> cancel)
<near/4> (code <or> segment
<or> bits)
```

Start Search
Clear

Note: This function returns plural and suffixed forms of the keyword(s).

 Search operators: <and> <or> <not> <in> [More](#)

 Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)
Search Options:
Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

 From year: to
Organize search results by:

 Sort by:

 In: order

 List Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore
RELEASE 1.5Welcome
United States Patent and Trademark Office**IEEE Xplore**
1 Million Documents
1 Million Users[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**[» Advanced Search](#)**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype**GO**[Help](#)

1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

3) Limit the results by selecting Search Options.

4) Click Search. See [Search Examples](#)

```
anull <or> void <or> cancel)
<sentence> (code <or> segment
<or> bits)
```

Start Search**Clear**

Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:**Select publication types:**

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

From year: to

Organize search results by:

Sort by:

In: order

List Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC](#) | [Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


IEEE Xplore®
RELEASE 1.2

 Welcome
 United States Patent and Trademark Office

IEEE Xplore®
 1 Million Documents
 1 Million Users

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**
[Help](#)

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

- 3) Limit the results by selecting Search Options.

- 4) Click Search. See [Search Examples](#)

```
(anull <or> void <or> cancel)
<paragraph> (code <or>
segment <or> bits)
```


Note: This function returns plural and suffixed forms of the keyword(s).

 Search operators: <and> <or> <not> <in> [More](#)

 Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)
Search Options:
Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

 From year: to
Organize search results by:

 Sort by:

 In: order

 List Results per page